

## POSTER PRESENTATION

## Open Access

# A model of functional recovery after significant loss of neural tissue: biofeedback based healing of vestibular dysfunction

Florian Jug\*, Christoph Krautz, Angelika Steger

*From* Nineteenth Annual Computational Neuroscience Meeting: CNS\*2010  
San Antonio, TX, USA. 24-30 July 2010

Vestibular dysfunction can significantly affect balance, posture, and gait. Hundreds of patients suffering from significant loss of neural (vestibular) tissue were helped with a new treatment using biofeedback – a strip of electrodes feeding head-tilt information onto the tongue surface [1,2]. The success rate is stunning but the neural processes associated with this treatment are, to date, not understood in detail.

We present a model that can explain how a minor fraction of remaining vestibular tissue, trained using biofeedback, regains the ability to balance the modeled organism in an upright position.

## Methods

Our model contains 4 populations of rate-coded units with sigmoid activation functions that are either not or fully connected via activity modulated Hebbian synapses (see Figure 1). A vestibular apparatus (VA) senses the tilt level of the modeled organism. VA is connected to a hidden population (HL) connected to a motor control population (BA), generating balancing actions and thereby closing a control loop by influencing the current tilt level. A second loop, the biofeedback, contains a population mimicking the signal of the mentioned tongue strip (TS).


VA and TS create population-coded output because their units are broadly tuned to different preferred tilt levels. HL and BA use winner take all dynamics. All units receive, in addition to the afferent input, a constant amount of white noise. Feedback connections from BA to HL force these populations to commit to a common, converged state.

Destroyed VA-units reduce the total input to HL. Homeostatic input normalization iteratively strengthens remaining postsynaptic processes to regain the desired input strength.

## Results

After destruction of a significant amount of VA-nodes (>90%) the remaining efferent signal does not exceed HL's noise level and the entire system turns non-functional. During homeostatic input normalization the tuning of remaining efferent VA connections broadens and causes the system to settle in a non-functional state.

Biofeedback substitutes missing vestibular data and re-enables BA to generate sensible actions. BA-HL-



\* Correspondence: [florian.jug@inf.ethz.ch](mailto:florian.jug@inf.ethz.ch)  
Institute of Theoretical Computer Science, ETH Zurich, Zurich, Switzerland

feedback forces HL's output to be correlated with the sensed tilt angles. Thus, activity modulated Hebbian learning re-sharpens VA's efferent tuning and the modeled organism relearns to balance in an upright position – even without biofeedback. Phenomenologically this effect is also observed in human patients.

#### Acknowledgements

The authors would like to thank ETH Research Grant ETH-23 08-1.

Published: 20 July 2010

#### References

1. Tyler M, Danilov YP, Bach-Y-Rita P: **Closing an open-loop control system: vestibular substitution through the tongue.** *J Integr Neurosci* 2003, **2**(2):159-164.
2. Danilov YP, Tyler ME, Skinner KL, Hogle RA, Bach-y-Rita P: **Efficacy of electrotactile vestibular substitution in patients with peripheral and central vestibular loss.** *J Vestib Res* 2007, **17**(23):119-130.

doi:10.1186/1471-2202-11-S1-P111

**Cite this article as:** Jug et al.: A model of functional recovery after significant loss of neural tissue: biofeedback based healing of vestibular dysfunction. *BMC Neuroscience* 2010 **11**(Suppl 1):P111.

**Submit your next manuscript to BioMed Central and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)

